



## **OUTBREAK OF COVID-19 IN INDIA AND HIGH RISK OF CLUSTER CONTAINMENT: A CASE STUDY**

Sachin K. Bhosale\*, Nirmala V. Shinde

### **Article Information**

Received: 26<sup>th</sup> March 2020

Revised: 30<sup>th</sup> April 2020

Accepted: 20<sup>th</sup> May 2020

### **Keywords**

Corona virus, COVID-19, India

### **ABSTRACT**

This case study focuses on outbreak of COVID-19 in India and world. This will be beneficial to analyze globally rising COVID-19 cases as well as in India in assessment with other 15 countries which have highly suffered due to this pandemic. This analysis will be useful to predict the number of cases at this month end and lockdown days required to combat COVID-19 in India.

### **INTRODUCTION**

The outbreak disease, Coronavirus (COVID-19) is holding its grip on the globe and the number of patients suffering as well as number of deaths occurring due to this disease has reached height in the world. This disease is an infectious disease caused by a novel virus. The exact source or origin of this virus is still unclear. In the earlier days, it was believed that the virus may have developed in bats, and later pangolins. On the other hand, genomic comparisons propose that the COVID-19, also known as SARS-Cov-2 virus is a result of a recombination of two different viruses [1]. The people infected by the COVID-19 virus will experience slight to modest respiratory illness like flu and will experience symptoms like cold, cough, fever etc. The patient with severe infection will have difficulty in breathing on the other hand some people do not require special treatment and will recover as such. The transmission happens through discharge from the nose or saliva droplets of coughs or sneezes. Therefore practicing respiratory etiquette is very important (By coughing into a flexed elbow, use of hankie while coughing

etc.) The spread of virus also takes place when a person touches an object or surface having virus on it, followed by touch to their mouth eyes or nose. The only way to stop and slow down transmission of this disease is to be well conversant about the COVID-19 virus, this disease, its causes, how it spreads and what kind of care should be taken to stop it etc. [2] The corona virus may get transmitted by the asymptomatic carriers (silent carriers) and plays a major role in rising number of Covid-19 cases. There's significant transmission by people not showing symptoms and it is estimated that one in four corona virus carriers could be asymptomatic. Right now, there is no specific vaccine or treatments for COVID-19, however, many clinical trials are ongoing to find the potential treatments [1-4].

### **Objectives:**

1. To study and analyze globally rising COVID-19 cases of 15 countries, severely suffered with this pandemic.

\*SMBT College of Pharmacy, Dhamangaon, Tal-Igatpuri, Dist-Nashik, 422403 (MS), India

**\*For Correspondence:** sachiniper@rediffmail.com

©2020 The authors

This is an Open Access article distributed under the terms of the Creative Commons Attribution (CC BY NC), which permits unrestricted use, distribution, and reproduction in any medium, as long as the original authors and source are cited. No permission is required from the authors or the publishers. (<https://creativecommons.org/licenses/by-nc/4.0/>)

- To compare and correlate the rising cases of COVID-19 in India with other high risk countries. (rising of cases from 1000+ to 5000+, 7000+ and 9000+ )
- To study the Impact of lockdown and predict requisite of lockdown by further 28 days to combat COVID-19 in India.

#### Highlights of COVID-19:

December 31, 2019	China National Health Commission reported cluster of 27 pneumonia cases of unidentified origin with 7 severe cases
January 7, 2020	Novel coronavirus isolated
January 11, 2020	First fatal case in China
January 13, 2020	First confirmed case in Nepal
January 19, 2020	First confirmed case in Republic of Korea
January 23, 2020	First confirmed case in Singapore
<b>Shutdown of Wuhan City of China</b>	
January 26, 2020	First confirmed case in Canada
January 28, 2020	First confirmed case in Germany
January 29, 2020	First confirmed cases in UAE, Finland and Italy
January 30, 2020	2 <sup>nd</sup> Emergency Committee –WHO declares coronavirus outbreak a PHEIC. First confirmed cases in <b>India</b> and Philippines
February 11, 2020	WHO announced an official name to the virus responsible for COVID-19 as SARS-Cov-2
ICTV have responsibility to name various viruses and WHO is responsible for giving official name for diseases through international classification of diseases (ICD)	
March 11, 2020	COVID-19 is announced as pandemic disease by WHO
March 24, 2020	Indian government declared lockdown of country for 21 days (25 march-14 April)
April 14 <sup>th</sup> , 2020	Announcement for extension of lockdown up to 3 <sup>rd</sup> May by government of India

**ICTV**-International Committee on Taxonomy of Virus; **ICD**-International Classification of Diseases; **PHEIC**-Public Health Emergency of International Concern; **SARS-Cov-2**-Severe acute respiratory syndrome Corona virus-2

When the first case of COVID- 19 was reported in China on January 11, 2020, the disease made an outbreak in China and with a short span of time it started spreading in rest part of the world. Nearly 210 countries and territories of the world along with two international conveyances are suffering from this pandemic today. The pandemic made a negative impact on the social and economic development of the world to a great extent

within a short period [5]. Today, One third of global population is on corona virus lockdown indicating the severity of this pandemic.

After report of first case of COVID-19 in India, the growth rate was initially very slow. There are many contributing factors, including the major steps taken by government of India. Unfortunately after a period of 3 months from reported first case, the numbers of cases has increased drastically and are increasing at a rapid rate [6]. It has been observed that, pattern of growth rate of COVID-19 cases (yellow and green color highlighted) is similar and close for the countries like Austria, Belgium, Netherland and Canada whereas other countries shows slightly fast growth by difference of 2-3 days. The data shows that India is following the similar pattern to above countries for rising of COVID-19 cases. The brief information about outbreak of COVID-19 in some of the countries is shown in the table 1 and 2. Graph 1 shows rise in COVID-19 cases in various countries of the world. The outbreak of COVID-19 in India is shown in table 3 and graph 2 and 3 shows comparison of number of cases in India with high risk and very high risk countries. The growth rate of COVID-19 cases in the world and in India is shown in graph 4 and Graph 5. In this case study, we have focused on the rising pattern of cases of COVID-19 in India and a prediction is done for the rise in number of cases on the basis of comparison with other countries having similar pattern of growth. The number of cases reported in India from 30<sup>th</sup> January to 23<sup>rd</sup> April is shown in table 3.

**Lockdown, One of the major step taken to combat COVID-19 in India and many other countries:** Lockdown is an emergency measure or condition in which people are temporarily prevented from entering or leaving a restricted area or building or city during a threat of danger. This scenario usually allows for essential supplies, grocery stores, pharmacies and banks to continue to serve the people. All non-essential activities remain shut for the entire period. WHO has already declared COVID-19 as pandemic and right now, no specific drug or vaccine is available to treat the disease, the only way to combat against it is PREVENTION. The objective of lockdown is to reverse epidemic growth, reducing case numbers to low levels by social distancing the entire population.

On 23 January 2020, the Chinese government locked down Hubei Province, including Wuhan, the city of 11 million where the outbreak started. After a lockdown of 76 days, the country could fight against covid-19 to major extent.

**Table 1. Comparison/ analysis of rising of COVID-19 cases from cases 1000+ to 5000+ (Yellow), 7000+ (Green), 9000 + (Blue) and 10000+ (Red)**


Rising of cases from 1000+ Day	India	Austria	Belgium	Netherlands	Canada	Switzerland	Iran	UK	France	Italy	Turkey	Germany	Spain	USA	China
Day 1	29-03-20	16-03-20	16-03-20	15-03-20	20-03-20	13-03-20	2-03-20	14-03-20	8-03-20	29-03-20	22-03-20	8-03-20	9-03-20	11-03-20	24-1-20
1	1024	1018	1058	1135	1087	1139	1501	1140	1209	1128	1236	1040	1231	1301	1282
2	1251	1332	1243	1413	1328	1375	2336	1391	1412	1701	1529	1224	1695	1630	1975
3	1397	1646	1486	1705	1470	2217	2922	1543	1784	2036	1872	1565	2277	2183	2744
4	1998	2179	1795	2051	2091	2353	3513	1950	2281	2502	2433	1966	3146	2770	4515
5	2543	2647	2257	2460	2792	2742	4747	2626	2876	3089	3629	2745	5232	3613	5974
6	3059	2992	2815	2994	3409	3115	5823	3269	3661	3859	5698	3675	6391	4596	7711
7	3588	3585	3401	3631	4043	4222	6566	5018	4499	4636	7402	4599	7988	6344	9692
8	4288	4474	3743	4204	4757	5615	7161	5683	5423	5883	9217	5813	9942	9293	11791
9	4778	5283	4269	4749	5655	6863	8042	6650	6633	7375	10927	7272	11826	13862	14380
10	5351	5588	4937	5560	6320	7474	9000	8077	7730	9172	13531	9367	14769	19494	17205
11	5916	6909	6235	6412	7448	8795	10075	9529	9134	10149	15679	12327	18077	24319	20440
12	6725	7697	7284	7431	8612	9877	11364	11658	10995	12462	18135	15320	21571	33319	24324
13	7600	8271	9134	8603	9731	10897	12729	14543	12612	15113	20921	19848	25496	44030	28018
14	8446	8788	10836	9762	11283	11811	13938	17089	14459	17660	23934	22364	28768	55196	31161
15	9205	9618	11899	10866	12375	12982	14991	19522	16018	21157	27069	24873	35136	68647	34546
16	10453	10180	12775	11750	13912	14076	16169	22141	19856	24747	30127	29056	42058	86035	37198
17	11487	10711	13964	12595	15512	14829	17361	25150	22304	27980	34109	32991	49515	104778	40171
18	12370	11129	15348	13614	16667	15922	18407	29474	25233	31506	38266	37323	57786	124230	42638
19	13430	11524	16770	14697	17897	16605	19644	33718	29155	35713	42282	43938	65719	144143	44653
20	14352	11781	18431	15723	19438	17768	20610	38168	32964	41035	47029	50871	73235	164875	58761
21	16365	12297	19691	16627	20765	18827	21638	41903	37575	47021	52167	57695	80110	189789	63851
22	17615	12639	20814	17851	22148	19606	23049	47806	40174	53578	56956	62435	87956	217771	66492
23	18539	12942	22194	18803	23318	20505	24811	51608	44550	59138	61049	66885	95923	248,079	68500
24	20080	13244	23403	19580	24383	21100	27017	55242	52128	63927	65111	71808	104118	280738	70548
25	21370	13560	24983	20549	25680	21657	29406	60733	56989	69176	69392	77981	112065	315141	72436
26	22797	13806	26667	21762	27063	22253	32332	65077	59105	74386	74193	84794	119199	340775	74185




**Table 2: Global COVID-19 Outbreak**


Date	24/01/20	03/03/20	06/03/20	18/03/20	21/03/20	24/03/20
No. of cases	1,317	90,869	102,050	218,744	304,979	422,574
Approx. days require to rise 1 lakh cases	<b>41 Days</b>			<b>On average, 3 Days</b>		
Date	26/03/20	28/03/20	29/03/20	31/03/20	01/04/20	02/04/20
No. of cases	531,865	663,127	723,390	858,361	935,232	1015,096
Approx. days require to rise 1 lakh cases	<b>2 Days</b>		<b>On average, 1.5 Days</b>			
Date	03/04/20	04/04/20	05/04/20	06/04/20	07/04/20	08/04/20
No. of cases	1116,662	1201,473	1272,901	1346,036	1430,981	1518,126
Approx. days require to rise 1 lakh cases	<b>On average close to 1 Day</b>					
Date	09/04/20	10/04/20	11/04/20	12/04/20	13/4/20	14/04/20
No. of cases	1603,694	1698,881	1779,842	1852,365	1923,937	1,997,903
Date	15/04/20	16/04/20	17/04/20	18/04/20	19/4/20	20/04/20
No. of cases	2,082,418	2,181,308	2,248,865	2,330,580	2,406,610	2,480,506
Date	21/04/20	22/04/20	23/04/20	24/04/20	25/4/20	26/4/2020
No. of cases	2,555,760	2,635,716	2,697,585	2,828,682	2,919,404	2,993,262

**Table 3: Number of cases reported in INDIA from 30<sup>th</sup> January, 2020**

Date	30/01/20	03/02/20	02/03/20	03/03/20	04/03/20	05/03/20	06/03/20	07/03/20	08/03/20	09/03/20
No. of cases	<b>1</b>	<b>3</b>	<b>6</b>	<b>7</b>	<b>29</b>	<b>30</b>	<b>31</b>	<b>34</b>	<b>40</b>	<b>47</b>
Date	10/03/20	11/03/20	12/03/20	13/03/20	14/03/20	15/03/20	16/03/20	17/03/20	18/03/20	19/03/20
No. of cases	<b>62</b>	<b>62</b>	<b>74</b>	<b>82</b>	<b>100</b>	<b>114</b>	<b>129</b>	<b>143</b>	<b>169</b>	<b>194</b>
Date	20/03/20	21/03/20	22/03/20	23/03/20	24/03/20	25/03/20	26/03/20	27/03/20	28/03/20	29/03/20
No. of cases	<b>249</b>	<b>332</b>	<b>396</b>	<b>499</b>	<b>536</b>	<b>657</b>	<b>727</b>	<b>887</b>	<b>987</b>	<b>1024</b>
Date	30/03/20	31/03/20	01/04/20	02/04/20	03/04/20	04/04/20	05/04/20	06/04/20	07/04/20	08/04/20
No. of cases	<b>1251</b>	<b>1397</b>	<b>1998</b>	<b>2543</b>	<b>3059</b>	<b>3588</b>	<b>4288</b>	<b>4778</b>	<b>5351</b>	<b>5916</b>
Date	09/04/20	10/04/20	11/04/20	12/04/20	13/04/20	14/04/20	15/04/20	16/04/20	17/04/20	18/4/20
No. of cases	<b>6725</b>	<b>7600</b>	<b>8446</b>	<b>9205</b>	<b>10453</b>	<b>11487</b>	<b>12370</b>	<b>13430</b>	<b>14352</b>	<b>16365</b>
Date	19/04/20	20/04/20	21/04/20	22/04/20	23/04/20	24/4/20	25/4/20	26/4/20		
No. of cases	<b>17615</b>	<b>18539</b>	<b>20080</b>	<b>21370</b>	<b>22,797</b>	24447	26283	27890		








**Classification of the progression of the outbreak: Phase I**– the first 100 cases (India took almost 3 months); **Phase II**– every case after the first 100. (In India, multiplied 4 times over the next 10 days). Thus, looking at the increase in number of cases of COVID-19, Government of India has declared lockdown of 21 days on 25<sup>th</sup> march 2020 to 14<sup>th</sup> April and further extended upto 3<sup>rd</sup> May.

**Prediction for number of cases at the end of April based on data analysis:** Even after a lockdown of 21 days, the growth rate of COVID-19 in India is in increasing order. Based on the data analysis of 15 countries, if India follows current growth rate (moderate), the number of cases may rise up to 30,000-32,000 (**Stage 2**) by the end of April. If the growth rate remains high and follow the pattern of countries like Iran, UK and Turkey, number of cases may rise up to 78,000-80,000 (**in between Stage 2- Stage 3**) whereas if growth rate remains very high and follow countries like Spain, China, Germany, France and Italy, then the number of cases may rise approximately up to 105,000- 110,000 (**Stage 3**) at the end of April. If the growth rate in India follows like USA then the number of positive cases may increase beyond 500,000 (**Stage 4**). However the lockdown of country will definitely help to fight against this pandemic. The lockdown pattern that can be followed to combat against this disease is shown in figure 1 [7].

Each section shows the variation in the number of infectives with lockdowns of different durations. The three-week lockdown starting 25/03/20 does not stop resurgence after its suspension as shown in panel (a). Neither does a further lockdown of 28 days space out by a 5 day suspension, shown in

panel (b). Comprising of three lockdowns with 5 day relaxations, (c) and a single 49 day lockdown, (d) reduce cases to minimum numbers. [7]



**Figure 1: Forecast of the COVID-19 epidemic in India.**

Each section shows the variation in the number of infectives with lockdowns of different durations. The three-week lockdown starting 25/03/20 does not stop resurgence after its suspension as shown in panel (a). Neither does a further lockdown of 28 days space out by a 5 day suspension, shown in panel (b). Comprising of three lockdowns with 5 day relaxations, (c) and a single 49 day lockdown, (d) reduce cases to minimum numbers [7]

### DISCUSSION AND CONCLUSION

Based on analytical data study of outbreak of COVID-19 in the globe, it has been observed that outbreak in India is following the same pattern of rising COVID-19 infected cases to the high risk countries like Belgium, Austria, Canada Netherland and Switzerland. In future, the pattern may transform to very high risk countries like Italy, USA, Spain, France UK, Germany, Turkey, Iran and China, which all are in stage 3 and under cluster containment. India is currently at moderate risk and in a position to transform from stage 2 to stage 3 (Cluster containment or social or communal transmission) due to following factors like (variation in prediction might be take place) [8]

- i) Highly denser population (second highest population in the world)
- ii) Insufficient medical facilities to serve 130 Crore population to combat COVID-19 in comparison with developed countries like USA and Italy. [9]
- iii) Screening of test samples per day are less as compared to most of the mentioned countries. (Till date total number of screened tests are 6,65,819). [10]

From March 30<sup>th</sup> 2020, number of COVID-19 cases are increasing more than 500+ per day. [6] The growth rate of COVID-19 cases is high and India ranked 27<sup>th</sup> on 5<sup>h</sup> April, 24<sup>th</sup> on 8<sup>th</sup> April, 21<sup>st</sup> on 9<sup>th</sup> April and 16<sup>th</sup> on 24<sup>th</sup> April and might enter in top 14 countries with maximum number of covid-19 cases in upcoming month. In future, we have to take more care to avoid cluster containment which is possible only by extension of lockdown by further 28 days.

Till date India is doing well to combat this pandemic and reported moderate number of COVID -19 cases in country. It is due to major steps and decisions by state and central government of India like 21 days country lockdown, the major

contribution from Pharmaceutical industries, all peoples working in health sectors, police force, all social workers and at most the supporting public of India. From this case study, it can be stated that, if the lockdown is increased for further 28 days, from 4<sup>th</sup> May to 31<sup>st</sup> May 2020, India can combat against this pandemic and become a country to win this war for nation. We all together can fight against COVID-19 by staying at home and supporting the government.

### FINANCIAL ASSISTANCE

Nil

### CONFLICT OF INTEREST

The authors declare no conflict of interest

### REFERENCES

- [1] <https://www.who.in>
- [2] Guo YR, Cao QD , Hong ZS, Tan YY , Chen SD *et al.* The origin, transmission and clinical therapies on coronavirus disease 2019 (COVID-19) outbreak – an update on the status. *Military Medical Research*, **7**, 11 (2020)
- [3] Nadeem S. Coronavirus COVID-19: Available Free Literature Provided by Various Companies, Journals and Organizations around the World. *Journal of Ongoing Chemical Research*, **5(1)**, 7 – 13 (2020)
- [4] Pawar AY. Combating Devastating COVID -19 by Drug Repurposing. *International Journal of Antimicrobial agents*, Article in Press. 2020;17:13
- [5] Tandon PN. COVID-19: Impact on health of people & wealth of nations. , DOI: 10.4103/ijmr.IJMR\_664\_20
- [6] [www.corona.mygov.in](http://www.corona.mygov.in)
- [7] Singh R and Adhikari R., Age-structured impact of social distancing on the COVID-19 epidemic in India, <https://www.researchgate.net/publication/340209224>
- [8] COVID-19 in India: Moving from containment to mitigation, DOI: 10.4103/ijmr.IJMR\_860\_20
- [9] Bajpai V. The Challenges Confronting Public Hospitals in India, Their Origins, and Possible Solutions. *Advances in Public Health*, Article ID 898502 (2014)
- [10] <https://www.worldometers.info/coronavirus>